XRF Analysis of Historical Paper in Open Books

BRUKER

XRF Analysis of Historical Paper in Open Books

Tim Barrett

Research Scientist, University of Iowa Center for the Book

Robert Shannon

Applications Physicist, Bruker AXS

Jennifer Wade

Research Chemist, Preservation Research & Testing Division,

Library of Congress

Jessica White

Research Assistant, University of Iowa Center for the Book


IMLS funded UICB research

- 1500 papers in manuscripts and printed books; 14th through 19th C
- Elements of interest: K, Al and S (Alum), Ca, and Fe

Steps for XRF analysis of paper in books

- 1. Select instrument and tube type
- 2. Design instrument positioning device for analysis
- 3. Normalize spectra
- 4. Establish method to correct for the variation in paper thickness/density
- 5. Select paper specimens for destructive testing and calibration
- 6. Create the calibration
- 7. Estimate the overall predictive ability of the calibration
- 8. Acquire data; output results

Selection of instrument and tube type Instrument positioning




3. Normalize spectra
 4. Correct for thickness/density

- BrKa1 (12KeV XRF line)
- CrKa1 (5.4KeV XRF line)


Cr Br artifact


- Chromium(III) 2-ethylhexanoate in 2ethylhexanoic acid [Cr(C₈H₁₅O₂)₃]
- 3,3',5,5'-Tetrabromobisphenol A [C₁₅H₁₂Br₄O₂]
- Fiberglass resin






Cr Br cup positioning










5. Select paper specimens for destructive testing and calibration



Preparation of samples for elemental analysis

Sampled each specimen with a diamond blade (near 10 random places already sampled for gelatin, etc.)



Preparation of samples for elemental analysis

Sampled each specimen with a diamond blade (near 10 random places already sampled for gelatin, etc.)

<section-header><section-header><text><text><text><text></text></text></text></text></section-header></section-header>	<section-header><page-header><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></page-header></section-header>
Gause for our to high and one of the stand of distribution of the	

weighed out ~100mg of paper



Preparation of samples for elemental analysis

Sampled each specimen with a diamond blade (near 10 random places already sampled for gelatin, etc.)

		TNOLISH POLTRY UT
THE BILTORY OF		The new coupled " while where he matter,
157 The American State of the Sendilary's comp, an Line Fur- Descent's republics into the Sendilary's comp, and fun- estimative statements, is drawn with great Assength and fun-		Bug on thry whit the Souths he garne.
alded by the events of the second sec		- And this that he's " on Aprilan."
Philip: Our clied his some dates: Telenant year Goy did erest. (There ford the feedant, " When set there " They there provedly freehold, new ?
		- The found. I arrest with susteption - Ther focus wondes dueff, one fight,"
In two hereits and trades whyle he is had. He down an fraction whyle he is bad. Upon by a head have before her cold.		Out first, " In Gud me four from hell,
And Southoff Agents for Photo and the second	12	 Sty replit news 1 that the tell, Goay of Warmicha my month to?
		Then first the holds print, - Arts then the holds include include
Almost the typels for the second		- Thur are how in any province?
		 These deark not early Colorat Of all handpes the builded note, don's
River doe not be take by hips light : River doe not be take the doe names. And hope apost him thefe answer,		
And topy upon an in tenshall be same. Styringe with four tenshall be same. Gay room forth without holds.		 As particles - the sect of the section of the particle way for the section of the s
		want is a specific and of first life. Reasoned, for Harry, is having one
Our feet of that providents har :		man of Minister, A. M. 1970. Dr. 17 Marrie - and effort, for he 5.5 to - incomment pro-
		adult of the face shipp will all the face ships and then the
Encode a cacheverie-iteme : Ecce with therebic it was the functions		
Alon care are a first to found the handwise, Alor the second second second to the handwise, And has been an everytheses,		band auf the set for the first the first of a manufacture by growth out the said has
All they early floar and gryrenet? Gap sails forth, and floaks no words,		
Tyll he cars to the foundat's house" a		The second information and the second second information of the second lines
A Real Property in Section of Sec		Lard have been presented through a line of the sector of t
* Table Channel, Say T. 101. Least prime planet to do to present first		Chem p. org
Cheme an sint in haght tal often p.m The and of large space in Arrit		

weighed out ~100mg of paper



digested the samples in individual Teflon vials with Nitric and HF acids



ICP-OES elemental analysis



Thermo iCAP ICP-OES at the Library of Congress (Inductively Coupled Plasma – Optical Emissions Spectrometer)

staging later.

inter-opficer was factors to see proto-space, and first-base was opficience or optic. Y is not free in or Wassik but bulking of the strength shall be president al all proving ballet all an biller im 3 Kin mel bail sin had ded Delvis Sught at line Califul sugar and "menerit lager or new output a later of the second survey of the lot of the Party State The amountail and comparison Balance is sensible wrough (serve all name of a distance sized, have been all provide and some surger land divised had be Results on This your around the second cialment that interests more here. summer in Lynnes W. a summer gli and Repairs water also per priklaking and and have trip page big hold per proper for Barry Mitchell Species of Sprawgers and a un entertainques afer such enterent Excitacture ton any excit an mary at most with places non-Pusital-Result and our ton sufficient man dominisch von mellen. second place persons, Twelste sentences when only out I down granted stime have yet at mount (blackers anaw 14 to start and cripped or recovery which will be discough a pair sudder are said the weaterilly gaveglowerses were cally non-antilepics scorery, delay ush how-put hand involve elistence of the supplies or real we have upped. will such privations nations openses Proved woodl remark to obcu-get that he weaks on the oblight and two are being an danks wet for mit or any any tast dashed wet it over our ardiantar all bonar tere part & and righteriar generate extern stoffmen venitheoutin Vasiable or other parts are downed by the second "UN double pros assesses for Carrier and some Control of the second s

441 1

COX.

2773

-

÷

644

Carbolas . subscriptly highly not been forget nor after an in all senses indaplations, his self and schwarzer at games pridemarks tot Gibphant Eighteit and Environmentlichene moner feature main and an Areas and the solution Remot had rear in the selector in such win mits an insubs; (advent, Yall of want beint and file track of the sam larry &advent and to a tax he don't a Par had not hat the added mapping Based of a bary the private schemes Train to Lifest a generation on a stag watalle none land on markets on autofunctioners areas to milester with and taken summer on players of a second black has haber perion. Th and agent could be that the Barry States although available word proceed doctages warantacheson ideewap are shaked (party on here you Take the r wont to brief print of ret logit general and we water pires and of metastriftoffriges soft tonEng all least so all any actions proceeding * main brack-tak to seried parameters on Parlow they near the become this your loadly mer furte gutt Buft all statt an ber ness finer water workshound his spectrage stations had a stars and hitself and hades to state films are anotherized and react of Aller non-quanty Male and the second s In the part larger. The base of an inter-

before the second secon

KODAK Color Control Patchas


6. Create the calibration

Standard Lucas Tooth equation:

$$W_{nm} = I_{nm} \left(K_0 + \sum_x K_{nm} I_{xm} \right) + b_n$$


Beer-Lambert law:

 $I(E) = I_o e^{-\mu \rho x}$




Fit of XRF Intensity VS. ICP Results for Fe

Fit of XRF Intensity VS. ICP Results for K




1800 H 1600 \vdash 1400 $R^2 = 0.0396$ IPC Concentration (PPM) 1200 1000 H AlKa1 Uncorr ٠ AlKa1 Corr 800 **UnCorr-Fit Corr-Fit** 600 $R^2 = 0.5146$ 400 200 0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0 **Normalized XRF Intensity**

Fit of XRF Intensity VS. ICP Results for AI



Fit of XRF Intensity VS. ICP Results for Ca

Normalized XRF Intensity



Fit of XRF Intensity VS. ICP Results for S

Sources of uncertainty impacting accuracy and precision


- Instrument error (addressed by 2 x SD precision value)
- Specimen placement/geometry*
- Specimen thickness*
- Calibration accuracy (from the 4 ICP specimens not used in the calibration)

*included in the calibration

7. Estimate overall predictive ability


- Precision of +/- 20% at a 90% confidence level when concentrations are close to 1000ppm
- Improves at higher concentrations, is poorer at lower concentrations
- Elemental variations also impact results


8. Acquire data; output results





8. Acquire data; output results


	Date	Al		Al	S		S
IMLS#	Tested	Symbol	AI	Precision	Symbol	S	Precision
1502-002	10/17/08		529	88		567	167
1503-001	11/14/08		1112	122		2089	207
1504-001	2/28/08		774	308		1178	270
1504-002	3/7/08	+	2183	383		2518	462
1504-003	3/7/08		1595	342		1976	390
1508-001	9/12/08		1204	145		2584	245
1509-001	3/6/08		1031	349		2171	318
1509-002	9/5/08	+	2107	223	+	4962	322
1510-002	9/30/08		798	111		1587	208
1510-003	1/15/09		182	61	-	178	144











Conclusions

- Handheld XRF instrumentation equipped with the proper accessories and software holds promise for estimation of elemental concentration of elements of interest in historical paper specimens in open books or at the perimeter of works of art on paper.
- Predictive power is enhanced by the number of unknowns analyzed. Thus surveys of large numbers of items in collections result in the most reliable data.

Conclusions Continued

 More research is necessary before this method can be recommended for monitoring of elemental changes during single item treatment, however predictive capability may improve over the work shown here because single artifacts consist of essentially the same substrate (with similar thickness and density) during treatment steps.

Acknowledgements


- Institute for Museum and Library Services
- University of Iowa Center for the Book
- Bruker AXS
- Library of Congress, Preservation Research and Testing Division
- The Kress Foundation

Four ICP Test Samples Not used in Calibration

		Sample Accuracy					Sample Precision			
	Sample Label	D16	D5	L19	L2	Sample Label	D16	D5	L19	L2
AlKa1	Conc.(ppm)	1300	1200	160	240	2STDEV	170	334	114	130
	Bias (ppm)	-258	143	100	350	Est. Prec.	147	191	75	115
S Ka1	Conc.(ppm)	2620	3220	361	665	2STDEV	240	522	173	255
	Bias (ppm)	-102	283	-114	174	Est. Prec.	292	366	160	212
K Ka1	Conc.(ppm)	1670	1260	282	468	2STDEV	163	261	211	180
	Bias (ppm)	-119	251	-96	48	Est. Prec.	250	234	154	182
CaKa1	Conc.(ppm)	759	1140	5280	19900	2STDEV	119	109	514	796
	Bias (ppm)	-26	-169	326	-3982	Est. Prec.	134	149	411	1190
FeKa1	Conc.(ppm)	188	106	291	302	2STDEV	36	42	37	26
	Bias (ppm)	19	-45	-35	15	Est. Prec.	76	76	84	100

Final data to be published as an interactive website in early 2010

- Alum, Ca, Fe and gelatin content
- Color
- Sheet thickness
- Sheet size
- Strength
- Publication information; title, country, date, etc.
- Photo
- Materials and workmanship (MW) quality grade
- Good and poor MW sheets in the same book?
- Binding original?



Year

